

Irwin Shuman, MD, F.A.C.S.
Michael H. Phillips, MD, F.A.C.S.
Jason D. Engel, MD, F.A.C.S.
Paul R. Shin, MD



Adult Urology
Male Infertility
Urinary Stone Disease
Urologic Oncology
Impotence
Urinary Infection
Urologic Laparoscopy
DaVinci Robotic Surgery
Reconstructive Urology

OFFICE TUNA PROCEDURE

PATIENT INSTRUCTIONS

Patient Name _____

Your TUNA procedure is scheduled for _____

Please arrive at 2021 K Street Suite 408 by _____
(time)

Rx. Valium 5 mg #3
Levaquin 500mg #6
Ultracet #20

- Please take one Valium 30 minutes before leaving your home. You may take a second tablet of Valium while waiting in the reception room ONLY if you are still nervous. Save the third tablet of Valium in case you will need it later.
- Levaquin 500mg should be taken one tablet daily. Start one tablet the day prior to the procedure and one tablet daily thereafter for six days.
- Ultracet should be taken one to two tablets every four to six hours only if you experience pain after the procedure.
- If you are taking Aspirin or blood thinners, they should be stopped 7-10 days prior to the procedure.
- Please purchase a Fleet's enema from your pharmacy. The enema should be used two hours prior to the procedure.
- Please arrange transportation to and from the treatment facility.
- Wear comfortable loose fitting clothes.
- Decrease or eliminate your alcohol, caffeine and tobacco 48 hours prior to procedure.

If you need to reschedule your procedure, kindly give us 48 business hours notice to avoid a \$100.00 cancellation fee.